

R82IC3220AA60J

Aliases (82IC3220AA60J)

General Information

Series Dielectric


Style

R82, Film, Metallized Polyester Stacked, Automotive Grade, 0.22 uF, 5%, 250 VDC, 85°C, 5 mm

R82

Radial

Metallized Polyester Stacked



| | | - | |
|------------------------------|------------------|--------------------------|---|
| HŢĹŢ | | Features | Automotive Grade, DC Multipurpose Applications |
| S F | - N | RoHS | Yes |
| | ′ ∥ F | Termination | Cut (Tinned Wire) |
| | | Lead | Cut |
| Click here for the 3D model. | | Qualifications | AEC-Q200 |
| | | AEC-Q200 | Yes |
| | | Typical Component Weight | 0.95 g |
| | | Miscellaneous | Above 85C DC And AC Voltage Derating Is 1.25%/C. |
| Dimensions | | Specifications | |
| Ì | 72mm +0.3/-0.5mm | Canacitance | 0.22 uF |

| Dimensions | | |
|--------------------------|-------------------|--|
| L | 7.2mm +0.3/-0.5mm | |
| Н | 11mm +0.1/-0.5mm | |
| Т | 6mm +0.1/-0.5mm | |
| S | 5mm +/-0.4mm | |
| LL | 4mm +1.5mm | |
| F | 0.5mm +/-0.05mm | |
| | | |
| Packaging Specifications | | |

| Packaging Specifications | |
|--------------------------|------|
| Packaging | Bulk |
| Packaging Quantity | 2000 |

| Specifications | |
|-----------------------|-----------------------|
| Capacitance | 0.22 uF |
| Tolerance | 5% |
| Voltage DC | 250 VDC |
| Voltage AC | 140 VAC |
| Temperature Range | -55/+105°C |
| Rated Temperature | 85°C |
| Dissipation Factor | 0.8% 1kHz, 1.2% 10kHz |
| Insulation Resistance | 30 GOhms |
| Max dV/dt | 130 V/us |
| Inductance | 7 nH |

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 07/16/2025 © 2006 - 2025 YAGEO