

General Information

Typical Component Weight

Series

Style Description

Features

RoHS



RAD-LDD Indust COG HT200C, Ceramic, 10 pF, 5%, 200 VDC, COG, High Temp, 200C, Radial Molded, Gold Termination, Industrial Grade, 5.08 mm

Radial

RAD-LDD Indust COG HT200C


High Temp, 200C, Radial Molded, Gold Termination,

Industrial Grade

With Exemptions

Commercial

493 mg



| Click here for the 3D model. | REACH | SVHC (Pb - CAS 7439-92-1) |
|------------------------------|--------------|--|
| | SCIP Number | e1a5b9fc-Ode5-4ceO-a6ef-55d fO71d82eb |
| | Termination | Gold |
| | Lead | Formed |
| | AEC-Q200 | No |
| | Halogen Free | Yes |
| | | |

| Dimensions | |
|------------|-------------------------|
| L | 4.83mm +/-0.25mm |
| Н | 5.97mm +/-0.25mm |
| Т | 2.29mm +/-0.25mm |
| S | 5.08mm +/-0.38mm |
| LL | 31.75mm MIN |
| F | 0.635mm +0.102/-0.051mm |
| G | 1.14mm MAX |
| K | 4.83mm +/-0.25mm |
| | |

| Packaging Specifications | |
|--------------------------|------------|
| Packaging | T&R, 305mm |
| Packaging Quantity | 500 |

| Specifications | |
|---------------------------------|---------------------|
| Capacitance | 10 pF |
| Tolerance | 5% |
| Voltage DC | 200 VDC |
| Dielectric Withstanding Voltage | 250 VDC |
| Temperature Range | -55/+200°C |
| Temp. Coefficient | COG |
| Dissipation Factor | 2.5% |
| Aging Rate | 0% Loss/Decade Hour |
| Insulation Resistance | 100 GOhms |

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 05/09/2025 © 2006 - 2025 YAGEO