



SMD Auto X7R Flex, Ceramic, 330 pF, 10%, 50 VDC, X7R, SMD, MLCC, FTCAP, Automotive Grade, 0805, 0.6 mm



| General Information | | | |
|--------------------------|--|--|--|
| Series | SMD Auto X7R Flex | | |
| Style | SMD Chip | | |
| Description | SMD, MLCC, FT-CAP, Automotive Grade | | |
| Features | FT-CAP, Automotive Grade | | |
| RoHS | Yes | | |
| Termination | Flexible Termination | | |
| Marking | No | | |
| Qualifications | AEC-Q200 | | |
| AEC-Q200 | Yes | | |
| Typical Component Weight | 13 mg | | |
| Shelf Life | 78 Weeks | | |
| MSL | 1 | | |

330 pF

1 kHz 1.0Vrms

100 GOhms

| Dimensions | |
|------------|------------------|
| Chip Size | 0805 |
| L | 2mm +/-0.3mm |
| W | 1.25mm +/-0.3mm |
| Т | 0.78mm +/-0.20mm |
| S | 0.6mm MIN |
| В | 0.5mm +/-0.25mm |

| 1.25mm +/-0.3mm | Tolerance | 10% |
|--------------------------|--|--|
| 0.78mm +/-0.20mm | Voltage DC | 50 VDC |
| 0.6mm MIN | Dielectric Withstanding Voltage | 125 VDC |
| 0.5mm +/-0.25mm | Temperature Range | -55/+125°C |
| | Temp. Coefficient | X7R |
| T&R, 180mm, Plastic Tape | Capacitance Change with Reference to +25°C and 0 VDC Applied (TCC) | 15%, 1kHz 1.0Vrms |
| 4000 | Dissipation Factor | 2.5% 1 kHz 1.0Vrms |
| | Aging Rate | 3% Loss/Decade Hour: Referee Time is 1000 Hours |

Insulation Resistance

Measurement Condition

Specifications

Capacitance

| Packaging Specifications | |
|--------------------------|--------------------------|
| Packaging | T&R, 180mm, Plastic Tape |
| Packaging Quantity | 4000 |

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 07/16/2025 © 2006 - 2025 YAGEO