

C2220X473KFRACTU

Aliases (C2220X473KFRAC7800) SMD Comm X7R HV Flex, Ceramic, 0.047 uF, 10%, 1,500 VDC, X7R, SMD,

MLCC, FT-CAP, Temperature Stable, 2220, 3.5 mm



| General Information | |
|--------------------------|--|
| Series | SMD Comm X7R HV Flex |
| Style | SMD Chip |
| Description | SMD, MLCC, FT-CAP, Temperature Stable |
| Features | FT-CAP, Temperature Stable |
| RoHS | Yes |
| Termination | Flexible Termination |
| Marking | No |
| AEC-Q200 | No |
| Typical Component Weight | 230 mg |
| Shelf Life | 78 Weeks |
| MSL | 1 |

0.047 uF

Time is 1000 Hours

21.2766 GOhms

| Dimensions | |
|------------|-----------------|
| Chip Size | 2220 |
| L | 5.9mm +/-0.75mm |
| W | 5mm +/-0.4mm |
| Т | 1.6mm +/-0.20mm |
| S | 3.5mm MIN |
| В | 0.7mm +/-0.35mm |
| | |

| +/-0.75mm | Measurement Condition | 1 kHz 1.0Vrms |
|-------------------|--|------------------------------|
| ′-0.4mm | Tolerance | 10% |
| -/-0.20mm | Voltage DC | 1500 VDC |
| MIN | Dielectric Withstanding Voltage | 1,800 VDC |
| +/-0.35mm | Temperature Range | -55/+125°C |
| | Temp. Coefficient | X7R |
| Omm, Plastic Tape | Capacitance Change with Reference to +25°C and 0 VDC Applied (TCC) | 15%, 1kHz 1.0Vrms |
| | Dissipation Factor | 2.5% 1 kHz 1.0Vrms |
| | Aging Rate | 3% Loss/Decade Hour: Referee |

Specifications

Insulation Resistance

Capacitance

| Packaging Specifications | |
|--------------------------|--------------------------|
| Packaging | T&R, 180mm, Plastic Tape |
| Packaging Quantity | 1000 |

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 05/02/2025 © 2006 - 2025 YAGEO