


CWR11JH105KCB

Aliases (T492A105K020CH4251, T492A105K020CS4251)

T492 CWR11, Tantalum, MnO2 Tantalum, Military/High Reliability, 1 uF, 10%, 20 VDC, SMD, MnO2, Molded, Military Equivalent, C (0.01%/1000 Hrs), 10 Ohms, 3216, 1.8 mm, 0.8 mm



Click here for the 3D model	С	lick	here	for	the	3D	model
-----------------------------	---	------	------	-----	-----	----	-------

General Information					
Series	T492 CWR11				
Dielectric	MnO2 Tantalum				
Style	SMD Chip				
Description	SMD, MnO2, Molded, Military Equivalent				
RoHS	No				
Prop 65	WARNING: Cancer and reproductive harm - https://www.p65warnings.ca.gov /				
SCIP Number	1dd2e1b8-26dd-4d52-927c-6f9 d519011aa				
Termination	Tin Lead (SnPb)				
Qualifications	MIL-PRF-55365/8, CWR11 Style				
AEC-Q200	No				
Typical Component Weight	58.97 mg				
Notes	Note: When Option C Is Selected For Lead Material, Add An Additional 0.38mm To The Tolerances For "L", "W", "H", "K", "F" And "S".				
MSL	1				

Dimensions	
L	3.2mm +/-0.2mm
W	1.6mm +/-0.2mm
Н	1.6mm +/-0.2mm
Т	0.13mm REF
S	0.8mm +/-0.3mm
F	1.2mm +/-0.1mm
В	0.4mm +/-0.15mm
E	1.3mm REF
G	1.1mm REF
K	0.7mm MIN
Р	0.35mm MIN
R	0.4mm REF
X	0.1mm +/-0.1mm REF

Packaging Specifications	
Packaging	T&R, 178mm
Packaging Quantity	2000

Specifications					
Capacitance	1uF				
Tolerance	10%				
Voltage DC	20 VDC (85C), 13.4 VDC (125C)				
Temperature Range	-55/+125°C				
Rated Temperature	85°C				
Dissipation Factor	4% 120Hz 25C				
Failure Rate	C (0.01%/1000 Hrs)				
ESR	10 Ohms (100kHz 25C)				
Ripple Current	87 mA (rms, 100kHz 25C)				
Leakage Current	0.5 uA (5min 25°C)				
Testing and Reliability	Surge Testing (10 Cycles At -55C And +85C After Weibull)				

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 08/02/2025 © 2006 - 2025 YAGEO