


L0805C1R0MDWIT

Aliases (L0805C1R0MDWIT)

Obsolete

Scheduled EOL - Last date to buy 30 JUN 2023 KEMET, L-DWI, Ferrite, 20%, 1,000 nH, 0805



Click	horo	for the	3D	model	ı
CIICK	nere	TOT LITE	: ച	mode	ı

General Information	
Series	L-DWI
Style	SMD Wire-Wound
Core	Ferrite
Description	Surface Mount Inductor
Features	High Current Type
RoHS	Yes
Notes	Last Order Date June 30, 2023. Suggested Replacement - https://productfinder.pulseelect ronics.com/part/BKPB 002012101R0MA2.

Dimensions		
Chip Size	0805	
L	2mm +/-0.2mm	
W	1.25mm +/-0.2mm	
Т	1.25mm +/-0.2mm	
Packaging Specifications		

Packaging Specifications		
Packaging	T&R	
Packaging Quantity	3000	

Specifications	
Inductance	1 uH (7.96 MHz)
Inductance Tolerance	20%
Rated Current	840 mAmps (Irms, 40C Rise By Self Heating)
Saturation Current	700 mAmps (Isat, 30% Drop In Inductance)
Temperature Range	-40/+105°C
DC Resistance	190 mOhms
DC Resistance	0.19 Ohms
Self-Resonant Frequency	100 MHz

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute – and we specifically disclaim – any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 11/03/2025 © 2006 - 2025 YAGEO