
CGP2C130JUSDCA7301







General Information				
Series	CGP DISC Comm HV			
Style	Radial Disc			
RoHS	Yes			
Termination	Tin			
Lead	Crimped Out			
Failure Rate	N/A			
AEC-Q200	No			
Halogen Free	Yes			

CIICK	IICIC	101	uic	JD	1110	uci

Dimensions	
D	6.5mm MAX
Т	5mm MAX
S	12.5mm NOM
LL	16mm +2/-0mm
F	0.6mm +/-0.1mm
V	2.1mm +/-0.5mm

Packaging Specifications			
Packaging	T&R		
Packaging Quantity	1000		

Specifications	
Capacitance	13 pF
Tolerance	5%
Voltage DC	4000 VDC
Temperature Range	-25/+85°C
Temp. Coefficient	SL

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 07/18/2025 © 2006 - 2025 YAGEO