






Aliases (UNFGX2160Y02XX)
EMI Filters, KEMET, GTX, Plastic Box, Noise Suppression, 75x44x25mm







Click here for the 3D model.

General Information	
	CTV
Series	GTX
Style	Plastic Box
Description	EMI Filter, With Y Capacitor
Features	Single-phase
Phase	Single-phase
RoHS	With Exemptions
Qualifications	UL, cUL, TUV
AEC-Q200	No
Tightening Torque	1.2 ~ 1.4N-m (Recommended)
Line Terminal	14-4(JST)
Line Terminal Width	12 Max.
Earth Terminal	R5.5-4(JST)
Earth Terminal Width	9.5 Max.
Miscellaneous	60 K Self-Temperature Rise Max.
Terminal Type	Screw

L 75mm +/-1mm W 44mm +/-1mm H 25mm +/-1mm S 17.6mm NOM L1 66.7mm +/-0.5mm W1 35mm +/-0.5mm	Dimensions	
H 25mm +/-1mm S 17.6mm NOM L1 66.7mm +/-0.5mm	L	75mm +/-1mm
S 17.6mm NOM L1 66.7mm +/-0.5mm	W	44mm +/-1mm
L1 66.7mm +/-0.5mm	Н	25mm +/-1mm
200711111 / 0.0011111	S	17.6mm NOM
W1 35mm +/-0.5mm	L1	66.7mm +/-0.5mm
·	W1	35mm +/-0.5mm

Packaging Specifications	
Packaging	Box
Packaging Quantity	30
Typical Component Weight	126 g

Specifications	
Voltage AC	250 VAC
Voltage DC	560 VDC
Rated Current	16 A
Ripple Current	16 A
Temperature Range	-25/+105°C
Leakage Current	0.5 mA

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 08/07/2025 © 2006 - 2025 YAGEO